










Miniature Circuit Breaker (SP/ DP/ TP/ 4P), Origin: India		SL. No.	SP MCB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
		1		XC60	SP	2A	10	C Curve, 110/220/440V AC	550
		2		XC60	SP	3A	10	C Curve, 110/220/440V AC	550
		3		XC60	SP	4A	10	C Curve, 110/220/440V AC	550
		4		XC60/ A9N1P06C	SP	6A	10	C Curve, 110/220/440V AC	370
		5		XC60/ A9N1P10C	SP	10A	10	C Curve, 110/220/440V AC	370
		6		XC60/ A9N1P16C	SP	16A	10	C Curve, 110/220/440V AC	370
		7		XC60/ A9N1P20C	SP	20A	10	C Curve, 110/220/440V AC	370
		8		XC60/ A9N1P25C	SP	25A	10	C Curve, 110/220/440V AC	370
		9		XC60/ A9N1P32C	SP	32A	10	C Curve, 110/220/440V AC	370
		10		XC60/ A9N1P40C	SP	40A	10	C Curve, 110/220/440V AC	570
		11		XC60/ A9N1P50C	SP	50A	10	C Curve, 110/220/440V AC	890
12	XC60/ A9N1P63C	SP		63A	10	C Curve, 110/220/440V AC	890		
		SL. No.	DP MCB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
		1		XC60/ A9N2P06C	DP	6A	10	C Curve, 110/220/440V AC	1,050
		2		XC60/ A9N2P10C	DP	10A	10	C Curve, 110/220/440V AC	1,050
		3		XC60/ A9N2P16C	DP	16A	10	C Curve, 110/220/440V AC	1,050
		4		XC60/ A9N2P20C	DP	20A	10	C Curve, 110/220/440V AC	1,050
		5		XC60/ A9N2P25C	DP	25A	10	C Curve, 110/220/440V AC	1,050
		6		XC60/ A9N2P32C	DP	32A	10	C Curve, 110/220/440V AC	1,050
		7		XC60/ A9N2P40C	DP	40A	10	C Curve, 110/220/440V AC	1,250
		8		XC60/ A9N2P50C	DP	50A	10	C Curve, 110/220/440V AC	1,720
		9		XC60/ A9N2P63C	DP	63A	10	C Curve, 110/220/440V AC	2,090
		SL. No.		TP MCB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions
		1		XC60/ A9N3P06C	TP	6A	10	C Curve, 110/220/440V AC	1,780
		2		XC60/ A9N3P10C	TP	10A	10	C Curve, 110/220/440V AC	1,780
		3		XC60/ A9N3P16C	TP	16A	10	C Curve, 110/220/440V AC	1,780
		4		XC60/ A9N3P20C	TP	20A	10	C Curve, 110/220/440V AC	1,780
		5		XC60/ A9N3P25C	TP	25A	10	C Curve, 110/220/440V AC	1,780
		6		XC60/ A9N3P32C	TP	32A	10	C Curve, 110/220/440V AC	1,780
		7		XC60/ A9N3P40C	TP	40A	10	C Curve, 110/220/440V AC	2,150
		8		XC60/ A9N3P50C	TP	50A	10	C Curve, 110/220/440V AC	2,150
9	XC60/ A9N3P63C	TP		63A	10	C Curve, 110/220/440V AC	2,150		
		SL. No.	FP MCB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
		1		XC60/ A9N4P06C	FP	6A	10	C Curve, 110/220/440V AC	3,780
		2		XC60/ A9N4P10C	FP	10A	10	C Curve, 110/220/440V AC	3,780
		3		XC60/ A9N4P16C	FP	16A	10	C Curve, 110/220/440V AC	3,780
		4		XC60/ A9N4P20C	FP	20A	10	C Curve, 110/220/440V AC	3,780
		5		XC60/ A9N4P25C	FP	25A	10	C Curve, 110/220/440V AC	3,780
		6		XC60/ A9N4P32C	FP	32A	10	C Curve, 110/220/440V AC	3,780
		7		XC60/ A9N4P40C	FP	40A	10	C Curve, 110/220/440V AC	4,250
		8		XC60/ A9N4P50C	FP	50A	10	C Curve, 110/220/440V AC	4,250
9	XC60/ A9N4P63C	FP		63A	10	C Curve, 110/220/440V AC	4,250		
		SL. No.	2P RCD/ RCCB	Model Number	Pole	Rated Current	MA	Descriptions	Unit Price (Taka)
		1		A9R51225	2P	25A	30MA	2P 25A 30MA A-Type RCCB	9,000
		2		A9R51240	2P	40A	30MA	2P 40A 30MA A-Type RCCB	9,500
		3		A9R51263	2P	63A	30MA	2P 63A 30MA A-Type RCCB	9,800
		4		A9R51225	2P	25A	300MA	2P 25A 300MA A-Type RCCB	9,900
		5		A9R51240	2P	40A	300MA	2P 40A 300MA A-Type RCCB	8,000
		6		A9R51263	2P	63A	300MA	2P 64A 300MA A-Type RCCB	8,500
		1		A9R51225	2P	25A	30MA	4P 25A 30MA A-Type RCCB	9,000
		2		A9R51240	2P	40A	30MA	4P 40A 30MA A-Type RCCB	9,500
		3		A9R51263	2P	63A	30MA	4P 63A 30MA A-Type RCCB	9,800
		4		A9R51225	2P	25A	300MA	4P 25A 300MA A-Type RCCB	9,900
		5		A9R51240	2P	40A	300MA	4P 40A 300MA A-Type RCCB	8,000
		6		A9R51263	2P	63A	300MA	4P 63A 300MA A-Type RCCB	8,500

Powercon Engineering & Automation Ltd.






House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Moulded case Circuit Breaker (Easy Pact-Fixed Type) Origin: 15-100A Thailand, 125-400A Assemble in	SL. No.	Fixed Type MCCB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)	
	1		EZC100N3015	3P	15A	10KA	Fixed Type (Easy Pact)	5,490	
	2		EZC100N3020	3P	20A	10KA	Fixed Type (Easy Pact)	5,490	
	3		EZC100N3025	3P	25A	10KA	Fixed Type (Easy Pact)	5,490	
	4		EZC100N3030	3P	32A	10KA	Fixed Type (Easy Pact)	5,490	
	5		EZC100N3040	3P	40A	10KA	Fixed Type (Easy Pact)	5,490	
	6		EZC100N3050	3P	50A	10KA	Fixed Type (Easy Pact)	5,490	
	7		EZC100N3060	3P	63A	10KA	Fixed Type (Easy Pact)	5,490	
	8		EZC100N3075	3P	75A	10KA	Fixed Type (Easy Pact)	5,490	
	9		EZC100N3080	3P	80A	10KA	Fixed Type (Easy Pact)	5,490	
	10		EZC100N3100	3P	100A	10KA	Fixed Type (Easy Pact)	5,490	
	11	EZC100N3125	3P	125A	25KA	Fixed Type (Easy Pact)	8,440		
	12	EZC100N3150	3P	150A	25KA	Fixed Type (Easy Pact)	9,480		
	13	EZC100N3160	3P	160A	25KA	Fixed Type (Easy Pact)	9,480		
	14	EZC100N3175	3P	175A	25KA	Fixed Type (Easy Pact)	12,470		
	15	EZC100N3200	3P	200A	36KA	Fixed Type (Easy Pact)	12,470		
	16	EZC100N3225	3P	225A	36KA	Fixed Type (Easy Pact)	12,470		
	17	EZC100N3250	3P	250A	36KA	Fixed Type (Easy Pact)	12,470		
	18	EZC100N3300	3P	300A	36KA	Fixed Type (Easy Pact)	26,170		
	19	EZC100N3320	3P	320A	36KA	Fixed Type (Easy Pact)	26,170		
	20	EZC100N3350	3P	350A	36KA	Fixed Type (Easy Pact)	26,170		
	21	EZC100N3400	3P	400A	36KA	Fixed Type (Easy Pact)	26,170		
	22		Adjustable Compact TP MCCB	NSX100F	3P	16A	36 KA	Compact TP Adjustable	9,700
	23			NSX100F	3P	25A	36 KA	Compact TP Adjustable	9,700
24	NSX100F			3P	32A	36 KA	Compact TP Adjustable	9,700	
25	NSX100F			3P	40A	36 KA	Compact TP Adjustable	9,700	
26	NSX100F			3P	50A	36 KA	Compact TP Adjustable	9,700	
27	NSX100F			3P	63A	36 KA	Compact TP Adjustable	9,700	
28	NSX100F			3P	80A	36 KA	Compact TP Adjustable	10,700	
29	NSX100F			3P	100A	36 KA	Compact TP Adjustable	10,700	
30	NSX160F			3P	125A	36 KA	Compact TP Adjustable	19,400	
31	NSX160F			3P	160A	36 KA	Compact TP Adjustable	19,400	
32	NSX250F			3P	200A	36 KA	Compact TP Adjustable	28,600	
33	NSX250F			3P	250A	36 KA	Compact TP Adjustable	28,600	
34	NSX400N			3P	400A	50 KA	Compact TP Adjustable	48,200	
35	NSX630N			3P	630A	50 KA	Compact TP Adjustable	63,300	
36	NS800N			3P	800A	50 KA	Compact TP Adjustable	98,900	
37	NS1000N			3P	1000A	50 KA	Compact TP Adjustable	113,000	
38	NS1250N			3P	1250A	50 KA	Compact TP Adjustable	116,500	
39	NS1600N			3P	1600A	50 KA	Compact TP Adjustable	123,600	
40		Adjustable Compact 4P MCCB	LV429650	4P	100A	36 KA	100A 4P4D TM100D NSX100F	21,500	
41			LV430651	4P	160A	36 KA	160A 4P4D TM125D NSX160F	28,000	
42			LV430650	4P	250A	36 KA	250A 4P4D TM250D NSX250F	42,000	
43			LV432694	4P	400A	50 KA	400A 4P4D Micrologic 2.3 400A NSX400N	85,000	
44			LV432894	4P	630A	50 KA	630A 4P4D Micrologic 2.3 630A NSX630N	95,000	
45			33469	4P	800A	50 KA	800A NS800 N4P 4P4T	190,000	
46			33475	4P	1000A	50 KA	1000A NS1000 N4P Fixed 4P4T	200,000	
47			33480	4P	1250A	50 KA	1250A NS1250 N4P Fixed P4T	218,000	
48	Moulded Case Circuit Breaker (CVS Adjustable) Origin: Assemble in Singapore	Adjustable CVS MCCB	LV510300	3P	16A	25KA	CVS Adjustable	7,800	
49			LV510301	3P	25A	25KA	CVS Adjustable	7,800	
50			LV510302	3P	32A	25KA	CVS Adjustable	7,800	
51			LV510303	3P	40A	25KA	CVS Adjustable	7,800	
52			LV510304	3P	50A	25KA	CVS Adjustable	7,800	
53			LV510305	3P	63A	25KA	CVS Adjustable	7,800	
54			LV510306	3P	80A	25KA	CVS Adjustable	7,800	

Powercon Engineering & Automation Ltd.





House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Moulded Case Circuit Breaker (CVS Adjustable) Origin: Assemble in		8		LV510307	3P	100A	25KA	CVS Adjustable	7,800
		9		LV516302	3P	125A	25KA	CVS Adjustable	9,400
		10		LV510303	3P	160A	25KA	CVS Adjustable	12,650
		11		LV525332	3P	200A	36KA	CVS Adjustable	20,000
		12		LV525333	3P	250A	36KA	CVS Adjustable	24,500
		13		LV540305	3P	320A	36KA	CVS Adjustable	40,500
		14		LV540306	3P	400A	36KA	CVS Adjustable	40,500
		15		LV563305	3P	500A	36KA	CVS Adjustable	46,000
		16		LV563306	3P	600A	36KA	CVS Adjustable	51,000
MCCB (NSX-CVS) Accessories		SL. No.	MCCB Accessories	Part No.	MCCB Accessories (NSX-CVS)				Unit Price (Taka)
		1		LV429337	DIRECT ROTARY HANDLE Black Handle BLK Front NSX63-250				4,000
		2		LV29339	DIRECT ROTARY HANDLE RED Handle YELLOW Front NSX63-250				4,500
		3		LV432597	DIRECT ROTARY HANDLE Black Handle BLK Front NSX400-630				6,000
		4		LV432599	DIRECT ROTARY HANDLE RED Handle YELLOW Front NSX400-630				7,000
		5		33863	DIRECT ROTARY HANDLE Black Handle BLK Front NS630-1600				20,000
		6		33864	DIRECT ROTARY HANDLE RED Handle YELLOW Front NS630-1600				25,000
		7		LV429338	EXTENDED ROTARY HANDLE Black Handle BLK Front NSX63-250				5,000
		8		LV429340	EXTENDED ROTARY HANDLE RED Handle YELLOW Front NSX63-250				5,500
		9		LV432598	EXTENDED ROTARY HANDLE Black Handle BLK Front NSX400-630				7,000
		10		LV432600	EXTENDED ROTARY HANDLE RED Handle YELLOW Front NSX400-630				7,500
		11		33878	EXTENDED ROTARY HANDLE Black Handle BLK Front NS630-1600				24,000
		12		33879	EXTENDED ROTARY HANDLE RED Handle YELLOW Front NS630-1600				25,000
		13		LV429329	6 INTERPHASE BARRIERS INV INS NSX100-NSX250				1,100
		14		LV432570	6 INTERPHASE BARRIERS INV INS NSX400-NSX630A				1,080
		15		33646	3 INTERPHASE BARRIERS FOR NSX 630-1600A				2,500
		16		EZAFASB2	EZ PHASE BARRIER (2PC) (Easypact FIXED)				700
		17		EZEFASB2	EZ250 PHASE BARRIERS 2PC (Easypact FIXED)				850
		18		EZ4FASB2	EZ400 2 PCS PHASE BARRIERS (Easypact FIXED)				950
		19		29450	Auxiliary Changeover Contact (OF)-OF, ON/OFF indication contacts				2,500
		20		LV429515	1 3P SHORT TERMINAL SHIELD NSX100-250 MCCB				1,250
		21		LV429434	Motor mechanism with SDE adapter NSX100/160 220-240 V 50/60 Hz, 208-				70,000
		22		LV431541	Motor mechanism SDE adapter NSX250 220-240 V 50/60 Hz, 208-277 V 60				70,000
		23		LV429436	Motor mechanism with SDE adapter NSX100/160 24VDC				70,000
		24		LV431543	Motor mechanism with SDE adapter NSX250 24VDC				70,000
		25		LV429387	MX Voltage releases for NSX 63-630 220-240 V 50/60 Hz				6,000
		26		LV429390	MX Voltage releases for NSX 63-630 24 VDC				6,000
		27		LV429410	MN Under Voltage releases for NSX 63-630 24VDC				6,000
		28		LV429407	MN Under Voltage releases for NSX 63-630 220-240 V 50/60 H				6,000
		SL. No.		Part No.	Downstream coupling accessories with Short terminal shields (1 pair) + "S1" source/"S2" source				Unit Price (Taka)
		1		LV429358	3P NSX100...250 A				45,000
		2		LV429359	4P NSX100...250A				50,000
		3		LV432619	3P NSX400...630A				55,000
		4		LV432620	4P NSX400...630A				60,000
		5		4405	LINERGY FC D.BLK /NSX250 3P with pre-wired Connector				50,000
		6		4406	LINERGY FC D.BLK /NSX250 4P with pre-wired Connector				55,000
		7		4407	LINERGY FC D.BLK /NSX250 3P FIX W/O Connector				28,000
		8		4408	LINERGY FC D.BLK /NSX250 4P FIX Without Connector				30,000
		SL. No.		Part No.	Manual Source- Changeover				Unit Price (Taka)
		1		LV429354	NSX100...250/ 250A For toggle controlled circuit breakers				18,000
		2		LV432614	NSX400...630A For toggle controlled circuit breakers				28,000
		3		LV429369	NSX100...250/ 250 A For rotary handled circuit breakers				23,000
		4		LV432621	NSX400...630A For rotary handled circuit breakers				28,000

Fixed Type ACB (Masterpact) 3P NT	SL. No.	3P Fixed NT ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
	1		NT06H13F2	3P	630A	42 KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 230V	215,000
	2		NT08H13F2	3P	800A	42 KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 230V	220,000
	3		NT10H13F2	3P	1000A	43 KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 230V	226,100
	4		NT12H13F2	3P	1250A	44 KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 230V	242,200
Fixed Type ACB (Masterpact) 4P NT	SL. No.	4P Fixed NT ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
	1		NT06H14F2	4P	630A	42 KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V	250,000
	2		NT08H14F2	4P	800A	42 KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V	260,000
	3		NT10H14F2	4P	1000A	43 KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V	270,000
	4		NT12H14F2	4P	1250A	44 KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V	285,000
Drawout Type ACB (Masterpact) 3P NT	SL. No.	3P Drawout NT ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
	1		NT06H13D5	3P	630A	42 KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 230V	290,000
	2		NT08H13D5	3P	800A	42 KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 230V	300,000
	3		NT10H13D5	3P	1000A	43 KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 230V	310,000
	4		NT12H13D5	3P	1250A	44 KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 230V	330,000
Masterpact NT Accessories	SL. No.	ACB Accessories NT	Part No.	Descriptions for Masterpact NT ACB Accessories				Unit Price (Taka)
	1		47074	Auxiliary Terminal Block for Fixed Circuit Breaker OF				1,600
	2		33098	Auxiliary Terminal Block for Drawout Circuit Breaker OF				1,600
	3		33671	MN Under voltage release 200/250 V AC/DC				12,500
	4		33670	MN Under voltage release 100/130 V AC/DC				12,500
	5		33668	MN Under voltage release 24/30 V DC, 24 V AC				12,500
	6		33659	Closing and opening release (XF or MX) 24-30 VDC				12,500
	7		33661	Closing and opening release (XF or MX) 100-130 VAC				12,500
	8		33662	Closing and opening release (XF or MX) 200-250 VAC				12,500
	9		33177	Gear Charging Motor MCH 200-240V AC				67,000
	10		33176	Gear Charging Motor MCH 100-130 VAC				67,000
	11		33185	Gear Charging Motor MCH 24-30 VDC				67,000
	12		33200	1 Mechanical Interlock Plate adaptation fixture for NT fixed devices				18,500
	13		33201	1 Mechanical Interlock Plate fixture for NT drawout devices				18,500
14	33209		1 set 2 cables for NT Pair				4,000	
Fixed Type ACB (Masterpact) 3P NW	SL. No.	3P Fixed NW ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
	1		NW08H13F2	3P	800A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	240,000
	2		NW10H13F2	3P	1000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	260,000
	3		NW12H13F2	3P	1250A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	270,000
	4		NW16H13F2	3P	1600A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	310,000
	5		NW20H13F2	3P	2000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	330,000






Powercon Engineering & Automation Ltd.

House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Fixed Type ACB (Masterpact) 3P NW	6		NW25H13F2	3P	2500A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	370,000
	7		NW32H13F2	3P	3200A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	450,000
	8		NW40H23F2	3P	4000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	670,000
	9		NW50H13F5	3P	5000A	100KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	1,130,000
	10		NW63H13F5	3P	6300A	100KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	1,679,900
Fixed Type ACB (Masterpact) 4P NW	SL. No.	4P Fixed NW ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions	Unit Price (Taka)
	1		NW08H14F2	4P	800A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	310,000
	2		NW10H14F2	4P	1000A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H2	325,000
	3		NW12H14F2	4P	1250A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H3	340,000
	4		NW16H14F2	4P	1600A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H4	415,000
	5		NW20H14F2	4P	2000A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H5	450,000
	6		NW 25H1	4P	2500A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H6	590,000
	7		NW 32H1	4P	3200A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H7	720,000
	8		NW 40H1	4P	4000A	100KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	995,000
	9		NW 50H1	4P	5000A	100KA	Micrologic 5.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	1,630,000
	10		NW 63H1	4P	6300A	100KA	Micrologic 5.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	2,150,000
Draw out Type ACB (Masterpact) 3P NW	SL. No.		3P Draw out NW ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions
	1		NW 08H1	3P	800A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	385,000
	2		NW 10H1	3P	1000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	395,000
	3		NW 12 H1	3P	1250A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	410,000
	4		NW 16H1	3P	1600A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	465,000
	5		NW 20H1	3P	2000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	510,000
	6		NW 25H1	3P	2500A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	620,000
	7		NW 32H1	3P	3200A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	770,000
	8		NW 40H1	3P	4000A	65KA	Micrologic 2.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	995,000
	9		NW 50H1	3P	5000A	100KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	1,650,000
	10		NW 63H1	3P	6300A	100KA	Micrologic 5.0A, 3P, MCH, XF, MX, MN, Coil 220V, Class H1	2,090,000
Draw out Type ACB (Masterpact)	SL. No.		4P Draw out NW ACB	Model Number	Pole	Rated Current	B. Cap. (KA)	Descriptions
	1		NW 08H1	4P	800A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	450,000
	2		NW 10H1	4P	1000A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H2	460,000
	3		NW 12 H1	4P	1250A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H3	475,000
	4		NW 16H1	4P	1600A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H4	550,000

Powercon Engineering & Automation Ltd.

House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Draw out Type ACB (Masterpact) 4P	5		NW 20H1	4P	2000A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H5	620,000
	6		NW 25H1	4P	2500A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H6	770,000
	7		NW 32H1	4P	3200A	65KA	Micrologic 2.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H7	950,000
	8		NW 40H1	4P	4000A	100KA	Micrologic 5.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	1,250,000
	9		NW 50H1	4P	5000A	100KA	Micrologic 5.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	2,050,000
	10		NW 63H1	4P	6300A	100KA	Micrologic 5.0A, 4P, MCH, XF, MX, MN, Coil 230V, Class H1	2,600,000
Masterpact NW Accessories	SL. No.	ACB Accessories NW	Part No.	Descriptions for Masterpact NW ACB Accessories				Unit Price (Taka)
	1		47849	Auxiliary Terminal block For drawout circuit breaker(OF)				1,500
	2		47074	Auxiliary Terminal block For fixed circuit breaker (OF)				1,200
	3		47080	"Ready to close" contact (1 max.) PF 1, changeover contact (5A-240V)				1,500
	4		47915	"Fault trip" indication contacts (SDE) Changeover contact (SDE)				1,500
	5		64922	Auxiliary C/O contact 4 NO/NC NW FIXED/Drawout ACB				4,300
	6		47894	MCH Gear Motor (NW) 200-240 VAC				60,000
	7		47893	MCH Gear Motor (NW) 100-130 VAC				60,000
	8		47888	MCH Gear Motor (NW) 24-30 VDC				60,000
	9		33662	Closing and opening release (XF or MX) 200-230VAC/DC				11,000
	10		33661	Closing and opening release (XF or MX) 100-130VAC/DC				11,000
	11		33659	Closing and opening release (XF or MX) 24-30V DC/AC				11,000
	12		33671	Undervoltage release MN 200-230 VAC/VDC				11,000
	13		33670	Undervoltage release MN 100-130 VAC/VDC				11,000
	14		33668	Undervoltage release MN 24-30V AC/DC				11,000
	SL. No.		Part No.	Choose 2 adaption Sets (1 for each Device +1 set of cables)				Unit Price (Taka)
	1		47926	CABLE-TYPE INTERLOCK PLATE FOR FIXED/DRAWOUT NW ACB				18,500
	2		33209	1 SET OF 2 INTERLOCK CABLES				4,000
	3		48610	3 sources, only 1 device closed, fixed or draw out devices				60,000
	4		48609	2 sources + 1 coupling, fixed or draw out devices				60,000
	5		48608	2 normal + 1 replacement source, fixed or draw out devices				60,000
	6		Micrologic 2.0A	2.0A Micrologic trip unit - LS - for NT, NW				55,000
7	Micrologic 5.0A		5.0A Micrologic trip unit - LSI - for NT, NW				65,000	
8	Micrologic 6.0A		Micrologic 6.0A trip unit - LSIG - for NT, NW				95,000	
9	Micrologic 7.0A		Micrologic 7.0A trip unit - LSIG - for NT, NW				120,000	
Magnetic Contactor AC Coil (M7-220V, N7-415V, F7-110V, B7-24V) (India, Indonesia, Czech Republic)	SL. No.	Magnetic Contactor	Model Number	KW	AC-3	AC-1 (ith)	Descriptions	Unit Price (Taka)
	1		LC1-D09....7	4 kw	9A	25A	9A (AC3), 3P, lth 25A (AC1)	1,670
	2		LC1-D12....7	5.5 kw	12A	25A	12A (AC3), 3P, lth 25A (AC1)	1,990
	3		LC1-D18....7	9 kw	18A	32A	18A (AC3), 3P, lth 32A (AC1)	2,550
	4		LC1-D25....7	11 kw	25A	40A	25A (AC3), 3P, lth 40A (AC1)	2,780
	5		LC1-D32....7	15 kw	32A	50A	32A (AC3), 3P, lth 50A (AC1)	5,930
	6		LC1-D38....7		38A	50A	38A (AC3), 3P, lth 50A (AC1)	8,870
	7		LC1-D40....7	22 kw	40A	60A	40A (AC3), 3P, lth 60A (AC1)	10,410
	8		LC1-D50....7	35 kw	50A	80A	50A (AC3), 3P, lth 80A (AC1)	10,870
	9		LC1-D65....7	30 kw	65A	80A	65A (AC3), 3P, lth 80A (AC1)	14,560
	10		LC1-D80....7	40 kw	80A	125A	80A (AC3), 3P, lth 125A (AC1)	18,200
	11		LC1-D95....7	45 kw	95A	125A	95A (AC3), 3P, lth 125A (AC1)	21,250
	12		LC1-F/D115....7	59 kw	115A	200A	115A (AC3), 3P, lth 200A (AC1)	27,070
	13		LC1-F/D150....7	80 kw	150A	250A	150A (AC3), 3P, lth 250A (AC1)	33,950
	14		LC1-F185....7	100 kw	185A	275A	185A (AC3), 3P, lth 275A (AC1)	46,390
	15		LC1-F225....7	110 kw	225A	315A	225A (AC3), 3P, lth 315A (AC1)	57,750
	16		LC1-F265....7	140 kw	265A	350A	265A (AC3), 3P, lth 350A (AC1)	65,080
	17		LC1-F330....7	180 kw	330A	400A	330A (AC3), 3P, lth 400A (AC1)	76,960
	18		LC1-F400....7	200 kw	400A	500A	400A (AC3), 3P, lth 500A (AC1)	94,070
	19		LC1-F500....7	280 kw	500A	700A	500A (AC3), 3P, lth 700A (AC1)	115,440
	20		LC1-F630....7	375 kw	630A	1000A	630A (AC3), 3P, lth 1000A (AC1)	147,510
	21		LC1-F780....7	425kw	780A	1600A	780A (AC3), 3P, lth 1600A (AC1)	285,590
22	LC1-F800....W			800A	1000A	800A (AC3), 3P, lth 1000A (AC1)	332,140	





Powercon Engineering & Automation Ltd.

House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Magnetic Contactor DC Coil (BD- 24VDC, 110VDC)	SL. No.	Magnetic Contactor	Model Number	Descriptions		Unit Price (Taka)
	1		LC1-D09BD	CONT 9A 1NC+1NO AC3 24VDC		5,000
	2		LC1-D12BD	CONT 12A 1NC+1NO AC3 24VDC		5,500
	3		LC1-D18BD	CONT 18A 1NC+1NO AC3 24VDC		7,000
	4		LC1-D25BD	CONT 25A 1NC+1NO AC3 24VDC		8,500
	5		LC1-D32BD	CONT 32A 1NC+1NO AC3 24VDC		11,000
	6		LC1-D40ABD	3P EVLK CONT 40A 18,5KW AC3 24VDC		22,500
	7		LC1-D32FD	CONT 32A 1NC+1NO AC3 110VDC		11,000
	8		LC1-D50AFD	3P EVLK Contactor 50A 22KW AC3 110VDC		26,500
	9		LC1-D80FD	Contactor D80 AC3 110VDC		38,000
	10		LC1-D95BD	Contactor D95 AC3 110VDC		40,000
Contactor Accessories	SL. No.	Accessories	Part No.	Descriptions		Unit Price (Taka)
	1		LAD9V2	MECHANICAL INTERLOCK D09-D32		800
	2		LAD4CM	Mechanical Interlock D40 D65		4,000
	3		LA9D50978	Mechanical Interlock D80 D95		4,300
	4		LA9 D11502	Mechanical Interlock D115 D150		5,250
	5		LA9FJ970	Mechanical Interlock LC1F265,LC1F330, LC1F400, LC1F500		7,400
	6		LA9FL970	Mechanical interlock for 630A (AC3), TP, 1000A (AC1)		9,200
	7		LA9-D11569	Star Delta Integral Power Connection D115 D150		18,400
	8		LA9-D8069	Star Delta Power Connection D80 D95		6,500
	9		LA9D4002	ATS, Interlock with Integral Electrical D80 D95		4,600
	10		LX1FF220	COIL LX1F 230V AC 50HZ- LC1F115/LC1F150		8,800
	11		LX1FG220	COIL LX1F 230V AC 50HZ- LC1F185/LC1F225		8,800
	12		LX1FH2202	COIL LX1F 220/230V AC FOR LC1F265/F330		9,900
	13		LX1FJ220	COIL LX1F 220/230V AC FOR LC1F400		21,000
	14		LX1FK220	COIL LX1F 220/230V AC FOR LC1F500		21,000
15		LX1FL220	COIL LX1F 200/220V AC FOR LC1F630/1250		22,000	
TIMER / Auxiliary	SL. No.	Timer / Auxiliary	Part No.	Descriptions		Unit Price (Taka)
	1		LADN11	1NO+1NC, Auxiliary Contact Block		540
	2		LADN22	2NO+2NC, Auxiliary Contact Block		880
	3		LADT2	0.1 - 30 s On delay timer, Pneumatic		2,850
	4		LADT4	10 - 180 s On delay timer, Pneumatic		3,120
	5		LADR2	0.1 - 30 s Off delay timer, Pneumatic		2,850
6	LADR4		10 - 180 s Off delay timer, Pneumatic		3,120	
Thermal Overload Relay (D-Range), Made in Thailand and France	SL. No.	OLR (D-range)	Model No.	Ampere	for Magnetic Contactor	Unit Price (Taka)
	1		LRD01	0.10...0.16 A	for D09...D38	2,510
	2		LRD02	0.16...0.25 A	for D09...D38	2,510
	3		LRD03	0.25...0.40 A	for D09...D38	2,510
	4		LRD04	0.40...0.63 A	for D09...D38	2,510
	5		LRD05	0.63...1 A	for D09...D38	2,510
	6		LRD06	1...1.7 A	for D09...D38	2,510
	7		LRD07	1.6...2.5 A	for D09...D38	2,510
	8		LRD08	2.5...4 A	for D09...D38	2,510
	9		LRD10	4...6 A	for D09...D38	2,510
	10		LRD12	5.5...8 A	for D09...D38	2,510
	11		LRD14	7...10 A	for D09...D38	2,510
	12		LRD16	9...13 A	for D09...D38	2,680
	13		LRD21	12...18 A	for D09...D38	2,850
	14		LRD22	16...24 A	for D09...D38	3,180
15	LRD32		23...32 A	for D09...D38	4,380	







Powercon Engineering & Automation Ltd.











House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

Thermal Overload Relay (D-Range), Made in Thailand and	16		LRD35	30...38 A	for D09...D38	4,380	
	17		LRD325	16...25 A	for D40A...D65A	5,430	
	18		LRD332	23...32 A	for D40A...D65A	5,430	
	19		LRD340	25...40 A	for D40A...D65A	5,430	
	20		LRD350	37...50 A	for D40A...D65A	6,740	
	21		LRD365	48...65 A	for D40A...D65A	7,390	
	22		LRD3361	55...70 A	for D50 ... D95	8,280	
	23		LRD3363	63...80 A	for D65 ... D95	8,770	
	24		LRD3365	80...104 A	for D80 and D95	12,740	
	25		LRD4365	80...104 A	for D115 and D150	15,900	
	26		LRD4367	95...120 A	for D115 and D150	17,160	
	27		LRD4369	110...140 A	for D150	18,230	
Thermal Overload Relay (F-Range), Made in	SL. No.	OLR (F-range)	Model No.	Ampere	for Magnetic Contactor	Unit Price (Taka)	
	28		LR9F5357	30-50 A	F115...F185	18,430	
	29		LR9F5363	48-80 A	F115...F185	18,430	
	30		LR9F5367	60-100 A	F115...F185	18,430	
	31		LR9F5369	90-150 A	F115...F185	18,800	
	32		LR9F5371	132-220 A	F185...F400	27,450	
	33		LR9F7375	200-330 A	F225...F500	27,450	
	34		LR9F7379	300-500 A	F225...F500	36,780	
	35		LR9F7381	380-630 A	F400...F630 and F800	38,990	
	Motor Protection Circuit Breaker (Made in Thailand / France)		SL. No.	MPCB	Model No.	Pole	Ampere
1				GV2ME01	TP	0.10-0.16A	4,540.00
2		GV2ME02		TP	0.16-0.25A	4,540.00	
3		GV2ME03		TP	0.25-0.40A	4,540.00	
4		GV2ME04		TP	0.40-0.63A	4,540.00	
5		GV2ME05		TP	0.63-1A	4,540.00	
6		GV2ME06		TP	1-1.6A	4,540.00	
7		GV2ME07		TP	1.6-2.5A	4,540.00	
8		GV2ME08		TP	2.5-4A	4,540.00	
9		GV2ME10		TP	4-6.3A	4,540.00	
10		GV2ME14		TP	6-10A	5,410.00	
11		GV2ME16		TP	9-14A	5,410.00	
12		GV2ME20		TP	13-18A	5,410.00	
13		GV2ME21		TP	17-23A	5,410.00	
14		GV2ME22		TP	20-25A	5,410.00	
15		GV2ME32		TP	24-32A	5,410.00	
16		GV3P40		TP	30-40	18,680.00	
16		GV3P50		TP	37-50	18,680.00	
17	GV3P65	TP		48-65A	18,680.00		
18	GV3ME80	TP	56-80A	18,680.00			
MPCB Auxiliary	SL. No.	MPCB Auxiliary	Model No.	Descriptions		Unit Price (Taka)	
	1		GVAE11	1 NO + 1 NC Auxiliary Contact Block (Side)		1,020.00	
	2		GVAN11	1NO + 1 NC Auxiliary Contact Block (Top)		1,020.00	

Powercon Engineering & Automation Ltd.





House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

SL. No.	DOL Starter	Model No.	Ampere	Descriptions	Unit Price (Taka)
1		LE1M35Q705	.54-.8A	0.25 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
2		LE1M35Q706	.8-1.2A	0.37 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
3		LE1M35Q707	1.2-1.8A	0.55 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
4		LE1M35Q708	1.8-2.6A	0.75 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
5		LE1M35Q710	2.6-3.7A	1.5 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
6		LE1M35Q712	3.7-5.5A	2.2 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
7		LE1M35Q714	5.5-8A	3 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
8		LE1M35Q716	8-11.5A	4 kW, TP, Direct Online Starter (D.O.L) Starter	7,250.00
9		LE1M35Q721	10-14A	5.5 kW, TP, Direct Online Starter (D.O.L) Starter	7,530.00
10		LE1M35Q722	12-16A	7.5 kW, TP, Direct Online Starter (D.O.L) Starter	8,220.00
SL. No.	Capacitor Bank	Model No.	Voltage	Descriptions	Unit Price (Taka)
1		EasyCan	440VAC	3 Kvar, EasyCan	2,800.00
2		EasyCan	440VAC	5 Kvar, EasyCan	3,700.00
3		EasyCan	440VAC	7.5 Kvar, EasyCan	4,700.00
4		EasyCan	440VAC	10 Kvar, EasyCan	5,700.00
5		EasyCan	440VAC	12.5 Kvar, EasyCan	7,800.00
6		EasyCan	440VAC	15 Kvar, EasyCan	8,000.00
7		EasyCan	440VAC	20 Kvar, EasyCan	9,950.00
8		EasyCan	440VAC	25 Kvar, EasyCan	10,500.00
SL. No.	Switch Socket	Model No.	Descriptions	Unit Price (Taka)	
1		KB31/1	16A 250V 1 GANG 1WAY SWITCH	175.00	
2		KB32/1	16A 250V 2 GANG 1 WAY SWITCH	280.00	
3		KB33/1	16A 250V 3 GANG 1 WAY SWITCH	410.00	
4		K34/1	16A 250V 4 GANG 1 WAY SWITCH (Single Plate)	1,005.00	
5		KB426US	10A 250V 1 GANG 2-PIN UNIVERSAL SOCKET - FLAT+ROUND	460.00	
6		KB31BPB	10A 250V BELL PRESS	380.00	
7		KB15N	13A 250V 1 GANG SWITCHED 3 PIN SOCKET WITH NEON	475.00	
8		KB15/15N	15A 250V 1 GANG SWITCHED 3 PIN SOCKET WITH NEON	655.00	
9		KB31RF250	250V FAN SPEED CONTROLLER	825.00	
10		KB31RD400	1 GANG 400W LIGHT DIMMER	825.00	
11		KB31TV	1 GANG TV CO-AXIAL OUTLET	490.00	
12		KB31TS	1 GANG TELEPHONE OUTLET WITH SHUTTER	540.00	
13		KB31RJ5E	1 GANG CAT 5E DATA OUTLET WITH SHUTTER	660.00	
14		KB31D20NE	20A 250V 1GANG DP SWITCH WITH NEON AND EARTH	740.00	
15		KB31BD	DO NOT DISTURB WITH BELL PRESS	985.00	
16		KB31BD/C	DO NOT DISTURB AND CLEAN UP ROOM WITH BELL	1,455.00	
17		KB31EKT	HOTEL KEY CARD	4,575.00	
18		KB727V	115/240 SHAVER UNIT	4,995.00	
19		KB30	SINGLE GANG BLANK PLATE	130.00	
20		KB413S	13A 250V 1 GANG 3-PIN UNIVERSAL SOCKET	490.00	
21			KB113LS	13A 250V 1 GANG 3-PIN LARGE DOLLY SWITCHED UNIVERSAL SOCKET Without NEON	675.00
22	KB113LSN		13A 250V 1 GANG 3-PIN LARGE DOLLY SWITCHED UNIVERSAL SOCKET- With NEON	775.00	
SL. No.	Energy Meter	Model No.	Descriptions	Unit Price (Taka)	
1		PM5330/5310	Digital Multifunction Energy Meter with RS485	34,000.00	
2		PM2130	Energy Meter with RS485	18,000.00	
3		EM6436	1.0 RS Dual Source Energy Meter	17,000.00	
4		EM6436	.5 RS Dual Source Energy Meter	18,000.00	
5		EM1000/1200	KW, KWH, PF	9,000.00	
6		EM6400	Multifunction Meter	19,000.00	
7		DM1210/1110	Volt/ Ampere Meter	4,000.00	
8		DM6100	VAF Meter	10,000.00	

Surge Protector Device	SL. No.	SPD	Part No.	Descriptions	Unit Price (Taka)
	1		16569	PRD40 3P + neutral	16,500.00
	2		16567	PRD 40 1P + Neutral	7,500.00
	3		16363	Surge arrestor PRD1 Master 3P N 350V WIT	90,000.00
Switching Capacitor and PFI Relay	SL. No.	Relay	Model No.	Descriptions	Unit Price (Taka)
	1		LC1-DFK11M7	Magnetic Contactor for Ie: 18A 12.5KVAR, 400VAC	12,500.00
	2		LC1-DMK11M7	Magnetic Contactor for Ie: 29A 25KVAR, 400VAC	20,000.00
	3		LC1-DWK12M7	Magnetic Contactor for Ie: 92A 60KVAR, 400VAC	23,000.00
	4		52448	VARLOGIC NR6 (6 Step) PF Control relay	32,000.00
	5		52449	VARLOGIC NR12 (12 Step) PF Control relay	43,000.00
6	52450		VARLOGIC NR12 (12 Step) PF Control relay with Communication and Sensing Current Measurement	75,000.00	
IDMT Relay	SL. No.	IDMT Relay	Model No.	Descriptions	Unit Price (Taka)
	1		REL 59802	IDMT RELAY Sepam Series 10 B 41 A, Phase over current & earth fault protection Earth-fault protection (ANSI 50N-51N), Phase-overcurrent protection (ANSI 50-51), Thermal image overload protection (ANSI 49 RMS), Phase-overcurrent and earth-fault protection cold load pick-up, Logic discrimination (ANSI 68), Earth-fault current Circuit breaker tripping and lockout (ANSI 86), RS485 Communication	76,000.00
	2		P127 Micom W/ Com	MiCOM P127 directional relay ranges up to the multifunction three phase and earth fault, complete of voltage and frequency protection. 27/59,32,32N/67W,37,46,46BC,47,49,50N/51N,50/51,50BF,	330,000.00
	3		P122A00Z112EB0 Non-Directional Advance IDMT	MiCOMP122 non-directional relay ranges up to the multifunction three phase and earth fault, complete of voltage and frequency protection.37,46,46BC,49,50N/51N,50/51,50BF,64,86	210,000.00
	4		P111L W/O Com Micom	Three phase and earth fault overcurrent relay with following Feature : 50BF, -Circuit breaker failure, 50N/51N, Phase-earth non directional overcurrent: 2 independent thresholds (12 groups of IDMT curves),50/51Three-phase non directional overcurrent: 3 independent thresholds (12 groups of IDMT curves), 86,Output relay latching,Fault records for the 20 most recent trips. Made in POLAND	85,000.00
5		P111L W/ Com Micom		96,500.00	

Powercon Engineering & Automation Ltd.

House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh
Phone: +88-02-48955727

SL. No.	VCB EVOLIS 12KV	Model No.	Descriptions	Unit Price (Taka)
1		630A EVOLIS 12KV VCB (FIXED TYPE)	<p>Evolis VCB Fixed type 630A 25KA 12KV SIFDJT0500,Evolis fixed frontal 7.2/12kV 25kA 145mm 59027,basic Evolis 12/25/630/145 SIFDJT0020,OPERATING SEQUENCE O-3mn-CO-3mn-CO 59135,MX1 trip coil 100-130Vdc 50-60Hz 59112,standard LV plug (18 wires) with Int 59422,3 varia.dist.H connec.630-1250A 59423,3 varia.dist.V connec.630-1250A 59091,contact : 1AC PF ready to close 59167,MCH motor 200-240V 50-60Hz</p>	520,000.00
2		630A EVOLIS 12KV VCB (DRAWOUT TYPE)	<p>Evolis VCB Drawout type 630A 25KA 12KV SIFDJT0506 Evolis withd. frontal 7.2/12kV 25kA 145mm 59177 D/O Evolis 12/25/630/145 SIFDJT0020 OPERATING SEQUENCE O-3mn-CO-3mn-CO 59135 MX1 trip coil 100-130Vdc 50-60Hz 59112 standard LV plug (18 wires) with Int 59091 contact : 1AC PF ready to close 59452 operating shaft, 59316 cradle 145mm without bushings 59382 1 full Set(6) bushing 630-1250A, 59173 4AC 59167 MCH motor 200-240V 50-60Hz 59147 XF clos. coil 100-130Vdc 50-60Hz</p>	850,000.00
3		1250A EVOLIS 12KV VCB (FIXED TYPE)	<p>Evolis VCB Fixed type 1250A 25KA 12KV SIFDJT0500 Evolis fixed frontal 7.2/12kV 25kA 145mm 59028 basic Evolis 12/25/1250/145 SIFDJT0020 OPERATING SEQUENCE O-3mn-CO-3mn-CO 59135 MX1 trip coil 100-130Vdc 50-60Hz 59112 standard LV plug (18 wires) with Int 59422 3 varia.dist.H connec.630-1250A 59423 3 varia.dist.V connec.630-1250A 59091 contact : 1AC PF ready to close 59167 MCH motor 200-240V 50-60Hz 59147 XF clos. coil 100-130Vdc 50-60Hz</p>	550,000.00
4		1250A EVOLIS 12KV VCB (DRAWOUT TYPE)	<p>Evolis VCB Drawout Type 1250A 25KA 12KV SIFDJT0506,Evolis withd. frontal 7.2/12kV 25kA 145mm 59178, D/O Evolis 12/25/1250/145 SIFDJT0020, OPERATING SEQUENCE O-3mn-CO-3mn-CO 59135 MX1 trip coil 100-130Vdc 50-60Hz 59112 standard LV plug (18 wires) with Int 59091 contact : 1AC PF ready to close 59452 operating shaft, 59316 cradle 145mm without bushings 59382 1 ful bushing 630-1250A, 59173 4AC 59167 MCH motor 200-240V 50-60Hz 59147 XF clos. coil 100-130Vdc 50-60Hz</p>	880,000.00

Powercon Engineering & Automation Ltd.

House: 36/A, Road : 7, Sector : 3, Uttara Model Town, Uttara, Dhaka-1230, Bangladesh

Phone: +88-02-48955727